

DRINKING WATER SYSTEM ANNUAL REPORT

Reporting Period: January 1st to December 31st, (year)

Water System

Water System Owner

Primary Contact Name (Operator or Manager)

Phone Number (Operator or Manager)

E-mail (Operator or Manager)

DESCRIBE YOUR WATER SUPPLY SYSTEM

What is the Source(s) of Raw Water?

☐ Deep Well ☐ Shallow Well ☐ Surface Water ☐ Other

If other, specify details:

Does the Drinking Water System have Primary Disinfection?

☐ Yes ☐ No

☐ Chlorination ☐ Ultraviolet Light ☐ Ozone ☐ Other

If other, specify details:

Does the Drinking Water System have Secondary Disinfection?

☐ Yes ☐ No

☐ Chlorination ☐ Other

If other, specify details:

Does the Drinking Water System have Filtration?

☐ Yes ☐ No

Check all boxes that apply

☐ Cartridge Filter(s) ☐ Carbon Filter ☐ Sand Filtration ☐ Reverse Osmosis ☐ Other

If other, specify details:

PUBLIC REPORTING

Emergency Response & Contingency Plan (ERCP)

Is your ERCP up to Date? ☐ Yes ☐ No

How do you Inform the System Users of the ERCP?

☐ Hand Delivered ☐ Bulletin Board ☐ Newspaper ☐ Utility Bill Insert ☐ Website

☐ Other (specify details) CVRD Engineering Services, 175 Ingram Street, Duncan, BC

Drinking Water System Annual Report

How do you Inform the System Users of the Annual Report?

☐ Hand Delivered ☐ Bulletin Board ☐ Newspaper ☐ Utility Bill Insert ☐ Website

☐ Other (specify details)

COMPLIANCE WITH OPERATING PERMIT

List the conditions of your Operating Permit (Contact the DWO for a copy if needed):

Are you in compliance with your Operating Permit?

☐ Yes

☐ No

BACTERIOLOGICAL TESTING AND DRINKING WATER PROTECTION REGULATION WATER QUALITY STANDARDS

How many bacteriological samples were collected during this reporting period?

What is the minimum required sampling frequency for this system? (#samples/month)

Additional sampling details:

Was the minimum required sampling frequency achieved?

☐ Yes

☐ No

Comments:

Bacteriological summary attached to this report?

☐ Yes

☐ No

If no, how do the users of the system view the results?

WATER QUALITY STANDARDS FOR POTABLE WATER

Parameter:	Standard:	Did this system meet standard?	
Escherichia coli (for all samples)	No detectable <i>Escherichia coli</i> per 100ml	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Total Coliform Bacteria (if only 1 sample collected in a 30 day period)	No detectable total coliform bacteria per 100ml	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Total Coliform Bacteria (if more than 1 sample collected in a 30 day period)	No more than 10% of samples contain total coliform bacteria, and No sample has more than 10 total coliform bacteria per 100ml	<input type="checkbox"/> Yes	<input type="checkbox"/> No

If the system did not meet any of above Drinking Water Protection Regulation standards, record the results in the table below; attach additional sheets if necessary.

Date	TC/100ml	E.coli/100ml	Reason	Corrective Action

CHEMICAL SAMPLING COMPLETED DURING THIS REPORTING PERIOD

Was any chemical sampling conducted during reporting period? ☐ Yes ☐ No

If no, when were the last chemical samples conducted for this system? (date) ☐ Don't know

If yes, attach a list of the chemical results

If any water samples did not meet the Guidelines for Canadian Drinking Water Quality, record the results in the table below; attach additional sheets if necessary.

Next scheduled full chemical test (date)

Parameter	Result	Corrective Action / Treatment / Comments

ADDITIONAL TESTING

Does the system have analyzers for continuous monitoring? ☐ Yes ☐ No

If yes, check all boxes that apply:

☐ Chlorine ☐ Turbidity ☐ Other (details)

Are the results available on request?

If any additional testing or sampling was conducted, record results in the table below; attach additional sheets if necessary.

Additional Testing & Reason for Sampling	Corrective Action Taken

WATER QUALITY COMPLAINTS

Were there any water quality complaints in this reporting period? (e.g. taste, odour, colour etc.) ☐ Yes ☐ No

If yes, complete the table below; attach additional sheets if necessary.

Date	Water Quality Complaint	Corrective Action / Treatment

OPERATIONAL PROBLEMS

Were there any operational problems during this reporting period? (e.g. insufficient water supply, malfunction of disinfection equipment, line breaks, elevated turbidity etc.).

☐ Yes

☐ No

If yes, complete the table below; attach additional sheets if necessary.

Incident Date	Type of Operational Problem	Corrective Action Taken

MAJOR UPGRADES/REPAIRS & EXPENSES

Were there any major upgrades/repairs or any major costs incurred during this reporting period?

☐ Yes

☐ No

If yes, complete the table below; attach additional sheets if necessary.

Major Upgrades/Expenses	Details
Improvements required by DWO	
Additions/changes to system	
Purchase or install new equipment	
Equipment repair or replacement	
Annual maintenance of system	
Specialist report	
Other	

FUTURE IMPROVEMENTS

Are there any plans for future improvements?

☐ Yes

☐ No

If yes, complete the table below; attach additional sheets if necessary.

Future Upgrades or Improvements	Estimated Date of Completion

Click here to enter a date.

DATE COMPLETED:

COMPLETED BY:

Future upgrades or improvements	Estimated date of Completion
Emergency generator for well	2020/2021
Inspect/assess condition of reservoir- replace if reqd	2022/2023
Groundwater monitoring (data collection) all wells	2020



FERNRIDGE ESTATES WATERWORKS

Facility Location:

175 Ingram Street
Shawnigan Lake

Facility Information:

Facility Type: 15-300 (DWC)

Facility Sampling History:

Location	Date	Total Coliform	E.Coli
-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	18-Dec-2018	L1	L1
S-2 Reservoir, Reservoir	11-Dec-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	4-Dec-2018	L1	L1
S-2 Reservoir, Reservoir	26-Nov-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	20-Nov-2018	L1	L1
S-2 Reservoir, Reservoir	13-Nov-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	5-Nov-2018	L1	L1
S-2 Reservoir, Reservoir	29-Oct-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	22-Oct-2018	L1	L1
S-2 Reservoir, Reservoir	16-Oct-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	10-Oct-2018	L1	L1
S-2 Reservoir, Reservoir	2-Oct-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	25-Sep-2018	L1	L1
S-2 Reservoir, Reservoir	18-Sep-2018	L1	L1



S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	11-Sep-2018	L1	L1
S-2 Reservoir, Reservoir	5-Sep-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	28-Aug-2018	L1	L1
S-2 Reservoir, Reservoir	22-Aug-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	14-Aug-2018	L1	L1
S-2 Reservoir, Reservoir	8-Aug-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	31-Jul-2018	L1	L1
S-2 Reservoir, Reservoir	23-Jul-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	16-Jul-2018	L1	L1
S-2 Reservoir, Reservoir	9-Jul-2018	L1	L1
S-2 Reservoir, Reservoir	27-Jun-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	18-Jun-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	12-Jun-2018	L1	L1
S-2 Reservoir, Reservoir	4-Jun-2018	L1	L1
S-2 Reservoir, Reservoir	28-May-2018	L1	L1
S-2 Reservoir, Reservoir	23-May-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	14-May-2018	L1	L1
S-2 Reservoir, Reservoir	7-May-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	30-Apr-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	24-Apr-2018	L1	L1
S-2 Reservoir, Reservoir	16-Apr-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	10-Apr-2018	L1	L1
S-2 Reservoir, Reservoir	3-Apr-2018	L1	L1
S-2 Reservoir, Reservoir	27-Mar-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	19-Mar-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	13-Mar-2018	L1	L1
S-2 Reservoir, Reservoir	5-Mar-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	26-Feb-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	19-Feb-2018	L1	L1
S-2 Reservoir, Reservoir	13-Feb-2018	L1	L1



S-2 Reservoir, Reservoir	5-Feb-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	30-Jan-2018	L1	L1
S-2 Reservoir, Reservoir	22-Jan-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	16-Jan-2018	L1	L1
S-2 Reservoir, Reservoir	8-Jan-2018	L1	L1
S-1 1143 Fernridge Drive, S-1 1143 Fernridge Drive Cobble Hill	2-Jan-2018	L1	L1

Laboratory Report**ALS Environmental**

Report For: Cowichan Valley Regional District
Received: 08/20/2018 10:42
Report ID: L2140353
Report Name: ALS Final Results Report

Sample ID: L2140353-1
Water System: Fernridge Water (FRW)
Facility: Distribution
Sampling Pt: S1-1143 Fernridge Dr (2-1-MD, 27B1F)
Comment: S1-1143 FERNRIDGE DR
Sampled: 08/01/2018 10:30

INORGANIC		Criteria & Type		Status
Aluminum (total)	< 0.010 mg/L	<=0.1	Operational - Conventional	Final
Ammonia (total, as N)	< 0.0050 mg/L			Final
Antimony (total)	< 0.00050 mg/L	<=0.006	MAC	Final
Arsenic (total)	0.00235 mg/L	<=0.01	MAC	Final
Barium (total)	0.014 mg/L	<=1	MAC	Final
Beryllium (total)	< 0.0050 mg/L			Final
Bismuth (total)	< 0.20 mg/L			Final
Boron (total)	0.29 mg/L	<=5	MAC	Final
Bromide	< 0.050 mg/L			Final
Cadmium (total)	< 0.00020 mg/L	<=0.005	MAC	Final
Calcium (total)	25.1 mg/L			Final
Chloride	3.44 mg/L	<=250	AO	Final
Chromium (total)	< 0.0020 mg/L	<=0.05	MAC	Final
Cobalt (total)	< 0.010 mg/L			Final
Copper (total)	0.0022 mg/L	<=1	AO	Final
Fluoride	0.093 mg/L	<=1.5	MAC	Final
Iron (total)	< 0.030 mg/L	<=0.3	AO	Final
Lead (total)	0.00054 mg/L	<=0.005	MAC	Final
Lithium (total)	< 0.010 mg/L			Final
Magnesium (total)	4.32 mg/L			Final
Manganese (total)	0.0074 mg/L	<=0.12	MAC	Final
Mercury (total)	< 0.00020 mg/L	<=0.001	MAC	Final
Molybdenum (total)	< 0.030 mg/L			Final
Nickel (total)	< 0.050 mg/L			Final
Nitrate (as N)	< 0.0050 mg/L	<=10	MAC	Final
Nitrate + Nitrite (as N)	< 0.0051 mg/L	<=10	User-Defined	Final
Nitrite (as N)	< 0.0010 mg/L	<=1	MAC	Final
Phosphorus (total)	< 0.30 mg/L			Final
Potassium (total)	< 0.10 mg/L			Final
Selenium (total)	< 0.0010 mg/L	<=0.05	MAC	Final
Silicon (total, as Si)	13.6 mg/L			Final
Silver (total)	< 0.010 mg/L			Final
Sodium (total)	13.6 mg/L	<=200	AO	Final

Laboratory Report

ALS Environmental

Report Name: ALS Final Results Report

Sample ID: L2140353-1 (continued)
Water System: Fernridge Water (FRW)
Facility: Distribution
Sampling Pt: S1-1143 Fernridge Dr (2-1-MD, 27B1F)
Comment: S1-1143 FERNRIDGE DR
Sampled: 08/01/2018 10:30

INORGANIC

		Criteria & Type		Status
Strontium (total)	0.541 mg/L			Final
Sulphate	11.7 mg/L	<=500	AO	Final
Sulphide (total, as S)	< 0.018 mg/L			Final
Thallium (total)	< 0.20 mg/L			Final
Tin (total)	< 0.030 mg/L			Final
Titanium (total)	< 0.010 mg/L			Final
Vanadium (total)	< 0.030 mg/L			Final
Zinc (total)	< 0.0050 mg/L	<=5	AO	Final

MICROORGANISMS

		Criteria & Type		Status
Background Bacteria	< 1 CFU/100ml	<=200,OG	User-Defined	Final
Escherichia coli / E. coli (counts)	< 1 CFU/100ml	<=0,P	Microbiological Standard	Final
Fecal (thermal tolerant) Coliforms (counts)	< 1 CFU/100ml	<=0,OG	Microbiological Standard	Final
Heterotrophic Plate Count / HPC	< 1 CFU/ml	<=5	User-Defined	Final
Iron Bacteria (MPN / PA)	SC			Final
Sulfate Reducing Bacteria	SC			Final
Total Coliforms (counts)	< 1 CFU/100ml	<=0,OG	User-Defined	Final

ORGANIC

		Criteria & Type		Status
Bromochloroacetic acid	< 0.0010 mg/L			Final
Bromodichloromethane (dichlorobromomethane)	0.0025 mg/L			Final
Bromoform	< 0.0010 mg/L			Final
Chloroform	0.0041 mg/L			Final
Dibromoacetic acid	< 0.0010 mg/L			Final
Dibromochloromethane (Chlorodibromomethane)	0.0012 mg/L			Final
Dichloroacetic acid	0.0014 mg/L			Final
Haloacetic acids 5 / HAA5	< 0.0054 mg/L	<=0.08	MAC	Final
Monobromoacetic acid	< 0.0010 mg/L			Final
Monochloroacetic acid	< 0.0050 mg/L			Final
Tannins and Lignins	< 0.10 mg/L			Final
Total Kjeldahl Nitrogen / TKN	< 0.050 mg/L			Final
Total Organic Carbon / TOC	0.72 mg/L			Final
Trichloroacetic acid	< 0.0010 mg/L			Final
Total Trihalomethanes / TTHM	0.0078 mg/L	<=0.1	MAC as locational running annual average	Final

Laboratory Report

ALS Environmental

Report Name: ALS Final Results Report

Sample ID: L2140353-1 (continued)
Water System: Fernridge Water (FRW)
Facility: Distribution
Sampling Pt: S1-1143 Fernridge Dr (2-1-MD, 27B1F)
Comment: S1-1143 FERNRIDGE DR
Sampled: 08/01/2018 10:30

PHYSICAL		Criteria & Type		Status
Alkalinity (bicarbonate, as CaCO ₃)	90.7 mg/L			Final
Alkalinity (carbonate, as CaCO ₃)	< 1.0 mg/L			Final
Alkalinity (hydroxide, as CaCO ₃)	< 1.0 mg/L			Final
Alkalinity (total, as CaCO ₃)	90.7 mg/L			Final
Colour	< 5.0 CU	<=15	AO	Final
Conductivity	208 uS/cm			Final
Hardness (total, as CaCO ₃)	80.5 mg/L			Final
Langelier Index	0.29			Final
Langelier Index (@ 20 C)	20.4			Final
pH	8.28		Current Level	Final
pH	7.4		Current Level	Final
* Temperature	20.4 degrees C	<=15	AO	Final
Total Dissolved Solids / TDS	150 mg/L	<=500	AO	Final
Turbidity	0.13 NTU	<=5	User-Defined	Final
RADIONUCLIDES		Criteria & Type		Status
Uranium (total)	0.00030 mg/L	<=0.02	MAC	Final

Result Legend

P=present, A=absent, PR=presumptive, ND=non-detect, OR=over-range, OG=overgrown, Y=yes, N=no,
TNTC=too numerous to count, NR=no result, NT=not tested, IG=ignore, ER=external report, SC=see comment
< means less than lower detection limit shown

> means greater than upper detection limit shown

« means detected & less than number shown

» means detected & greater than number shown

* Indicates Criteria is exceeded